Chino 14 000610540

EYES ONLY

BYE-7643-73 Copy 3 20 February 1973

Fal

Wes:

- l. Per our discussion, I provide the following data on the reliability of the various programs. As I said, "G" has been the most \underline{u} nreliable of the photo programs to date.
- 2. Attached are summary data on the programs that you might find interesting. Some summary statistics are more useful, however.
- 3. There are several ways to look at program reliability. The easiest (but not necessarily the most reliable) is to look at capsules (i.e. RV's) launched vs. capsules recovered. In this context, the following data is interesting:

i cseriig.	Capsules	Capsules		
Program	Launched	Recovered	% Recovered	
CORONA	193	156	80	
GAMBIT	90	80	88	
HEXAGON	16	15	94	
CORONA (1963 on)) 147	132	90	

- 4. The above is interesting in that HEXAGON, on this basis, is the most reliable to date. GAMBIT looks better than CORONA if you use all the CORONA data. This isn't really fair, however, since CORONA started the space age and had lots of booster problems that GAMBIT did not have. Comparing "C" and "G" on a more reasonable basis (i.e. 1963 on), "C" is slightly better than "G."
- 5. A more useful way to look at reliability, however, is in terms of how much film has been returned. Doing this for the three programs yields the data shown in Tables 1 and 2. Table 1 looks at the percentage of film either not returned or catastrophically imaged (i.e. useless) due directly to the camera system itself. On this basis, GAMBIT has been the more unreliable program. Table 2 looks at all failures (camera, booster, Agena, etc.) on the same basis. The only failures not included are lost film due to RV's being lost. That is, Table 2 is aimed at either launch or on-orbit failures. Again, GAMBIT is the worst of the three.

BR

R. Kohler

CLASSIFIED BY BYEMAN 1

EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF E. O. 11652, EXEMPTION CATEGORY:

§ SD(1), (2) (3) or (4) (divide one or more)

AUTOMATICALLY DECLASSIFIED ON

IMPOSSIBLE TO DETERMINE

(unicas impossible, insert date or event)

EYES ONLY

GAMBIT HEXAGON TOP SECRET

WARNING NOTICE SENSITIVE INTELLIGENCE SOURCES AND METHODS INVOLVED

HANDLE VIA BYEMAN CONTROL SYSTEM ONLY



TABLE 1

Program Reliability Based on Film Return (Camera Failures Only)

Program	Total Film Launched	<u>Launches</u>	Film Not Returned	% Not Returned
CORONA*	2,176,000	68	88,000	4
GAMBIT	445,000	75**	30,000	10
HEXAGON	880,000	4	12,000	1.4

^{* 1963} on.

TABLE 2

Program Reliability Based on Film Return (All Failures Except RV's)

Program	Total Film Launched	Launches	Film Not Returned	% Not Returned
CORONA*	2,176,000	68	128,000	5.8
GAMBIT	445,000	75*	50,000	16.3
HEXAGON	880,000	4	62,000	7.0

^{* 1963} on.

GAMBIT HEXAGON TOP SEGRET

BYE-7643-73
Page Two
HANDLE VIA BYEMAN
CONTROL SYSTEM ONLY

^{**61} single-bucket, 14 dual-bucket.

^{**61} single-bucket, 14 dual-bucket.

NRO APPROVED FOR RELEASE 17 September 2011



HEXAGON PERFORMANCE

			1971		1972	
		Launches	1		3	
		Capsules Launched	4		12	* · · · *
	*	Capsules Recovered	3		12	
ANOMALI	ES:				r.	
1202	HEXAGON	Film break, one camera	, mono	RV-3 and	RV-4	(1972)
1203	HEXAGON	Film fold, one camera,	RV-3 m	ono (197	2)	

GAMBIT HEXAGON

TOP SECRET

BYE-7643-73
Page Three HANDLE VIA BYEMAN
CONTROL SYSTEM ONLY

1112

J-3

	GAMBIT	UEVA		OF In	1(-)		IRONA	PERFOR	MANCE		•
•	PHMDII	, sieni	1959 C	1960 C&C'	1961 C&C 1	1962 M	1963 MLA	1964 J-1	1965 J-1	1966 J-1	1967 J-183
Launche	d		5	8	12	21	11	14	13	9	9
Capsule	s Launche	d	5	8	12	21	13	26	26	18	18
Capsule	s Orbited		3	5	11	20	11	24	26	16	18
Capsule	s Recover	ed	0 -	5	. 7	12	8	21	25	16	18
ANOMALI	ES: (Oth	er tha	n rec	overy	or la	unch fa	illure)				
9012	C'	Film	broke	(1960	0)					• ,	
9034	ARGON	Timer	fail	une (1	1962)			: 1			
9039	MURAL	Timer	fail	ure, 2	2-day r	nissior	(1962	2)	,	•	
9046	ARGON	Shutt	er ti	imer fa	ailure	(1962))	•			
8002	LANYARD	Decod	ler fa	ilure	(1963)					
1013	J-1	Both	camer	as fa	iled R	ev 52	(1964)				
1021	J-1	One o	amera	a faile	ed Rev	102,	caused	by f1	lm (196	65)	
1027	J-1	Timer	fai	lure,	camera	s not a	activat	ted on	bucket	t 2 (1	965)
1031	J-1	One o	amera	a faile	ed, bu	cket 2	(1966))			4
1048	J-1	Film	tear	, buck	et 2 o	n one o	camera	(1968) .		
1050	J-1	Vehic	:le ui	nstabl	e afte	r Rev	22 (190	59)			
1107	J-3					Rev 1,	* + 1		969)		



One camera failed during cut-and-wrap sequence (1970)

BYE-7643-73 Page Four

116

16

12

12

HANDLE VIA BYEMAN CONTROLL SYSTEM ONLY

	1963 G	1964 G	1965 G	1966 G&G ³	1967 G&G ³	1968 G ³	1969 G ³	1970 G ³	1971 G ³	1972 G ³
Launched	4	10	9	15	10	8	6	5.	4	4
Capsules Launched	4	10	. 9	15	10	8	8	10	8	8
Capsules Orbited	4	8	8	15	9	8	8	10	8	6
Capsules Recovered	4	7	8	15	9	7	8 ·	8	8	6

ANOMALIES:	(Other than recovery or launch failures)
4001 G	Distorted Image (1963)
4005 G	Unstable yaw, Rev 2 (1964)
4009 G	Severe warp (1964)
4014 G	Unstable after Rev 7 (1964)
4015 G	Stuck mirror (1965)
4019 G	Power failure (1965)
4021 G	Vehicle unstable (1965)
4023 G	Vehicle unstablerecovered Rev 18 (1965)
4302 G ³	Severe out-of-focus (1966)
4034 G	Outer shield failed to eject (1966)

ANDII HIX

TOU CECHET

BYE-7643-73 Page Five

HANDLE VIA BYEMAN